


Coaxial 2-Way-Splitter



Picture not binding



block diagram

Electrical characteristics

Part number	BN 818249	BN 818349	BN 923049
Splitting ratio	1 : 0.001 : 0.999		
Frequency range	Range 1 170-380 MHz Range 2 380-1500 MHz Range 3 1710-2700 MHz		
Insertion loss	~ 0.05 dB (Main line)		
Coupling	30 dB -1/+2.5 dB		
VSWR	≤ 1.2 (Port 1.2) *		
Passive intermodulation (IM3), 3rd order 2 x 20W	≤ -155 dBc typical: ≤ -160dBc	≤ -160 dBc typical: ≤ -165dBc	≤ -150 dBc typical: ≤ -155dBc
Impedance	50 Ohm		
Power Rating	500 W CW (5 kW peak / 20µs)		250 W CW (5 kW peak / 20µs)

* According to DIN 14024-1

Mechanical characteristics

Connectors	7-16 female	4.3-10 female	N female
Dimensions, approx. (Without brackets and connectors)	See drawing		
Paint color	N/A		
Weight, approx.	0.55 kg		
Wall / Mast mounting	to be ordered separately under BN B09499		

Environmental conditions





Class. of environmental conditions	ETSI EN 300019-1-1 Class 1.2 ETSI EN 300019-1-2 Class 2.3 ETSI EN 300019-1-4 Class 4.1E
Degree of protection	IP 68
Operation Ambient temperature range	-20 °C to +55 °C
Storage Ambient temperature range	-40 °C to +85 °C
Relative humidity, max.	95% (non-condensing)

This document is proprietary to us. All rights reserved. Any use, transfer, or reproduction of this document or the know-how contained therein requires our express consent.



SPINNER GmbH
 Template TD-00002Y

Coaxial 2-Way-Splitter

Outline (all dimensions in millimeter)



modifications reserved




modifications reserved

SPINNER GmbH
 This document is proprietary to us.
 All rights reserved. Any use, transfer, or reproduction of this document
 or the know-how contained therein requires our express consent.



Template TD-00002Y

Coaxial 2-Way-Splitter

Measurements:



Signal splitting ratios (approximate values, for information only):



This document is proprietary to us. All rights reserved. Any use, transfer, or reproduction of this document or the know-how contained therein requires our express consent.

Template TD-00002Y